

DuPont™ StoneTech® Professional Natural Stone Countertop Sealer

TECHNICAL DATA SHEET

PRODUCT BENEFITS

- Advanced protection against oil- and water-based stains
- Can be applied to damp surfaces
- Great for backsplashes and shower walls
- Water-based formula

RECOMMENDED SURFACES

Natural stone such as marble, granite, limestone, travertine, slate, flagstone, saltillo and sandstone.

AVAILABLE SIZES

24-ounce spray bottle

COVERAGE

10–140 sq ft

EXPECTED WEAR

3–5 years on interior surfaces and 1–3 years on exterior surfaces. For frequently used surfaces, annual sealing is recommended.

TECHNICAL INFORMATION

Form:	Liquid
Specific Gravity:	1.01
HMIS Rating:	2,0,0
Flash Point:	NA
Freeze Point:	32°F
pH:	8–9
VOC Content:	<400 g/L (excluding water) 20 g/L (including water)

DIRECTIONS

Read entire label before using. Use only as directed. Always test in a small inconspicuous area with a 24-hour cure time to determine ease of application and desired results. Allow new grout installations to cure for a minimum of 72 hours prior to application. Make sure surface is clean and free of waxes and coatings. Sealer may be applied to damp surfaces 1 hour after standing water is removed. Surface temperature should be between 50°F and 80°F. Ensure that the area is well-ventilated during application and until the surface is dry to the touch. Keep children and pets away from area until surface is dry.

1. Mask off and protect any surfaces not intended to be treated.
2. Liberally apply an even coat on surface being treated.
3. Allow sealer to penetrate the surface for 15–30 minutes while spreading sealer over surface to ensure even penetration. Remove excess sealer by wiping entire surface thoroughly with clean dry towels.
4. Apply second coat as needed for porous, absorbent surfaces 30–40 minutes after first coat, following directions in steps 2–3.
5. 15–30 minutes after final application, wipe entire surface with clean, dry towels to remove any excess sealer. To remove any residue, reapply a thin coat of sealer, wait 2–3 minutes, and then rub lightly with a white nylon pad. Wipe again thoroughly with clean, dry towels.
6. A full cure is achieved after 24–72 hours. Surface may be used in 6–8 hours.
7. Clean tools used during application with water.

STORAGE AND HANDLING INSTRUCTIONS

CAUTION: MAY BE HARMFUL IF SWALLOWED. MAY CAUSE EYE, SKIN AND RESPIRATORY IRRITATION. Avoid prolonged exposure to vapors. Use only in a well-ventilated area. Do not ingest. Avoid contact with eyes and skin. Do not transfer this product into any other container. **KEEP OUT OF THE REACH OF CHILDREN.** Do not freeze or store above 100°F/38°C.

EMERGENCY/FIRST AID PROCEDURES

Ingestion: Do not induce vomiting. Call poison control center. Call a physician.

Eye Contact: Flush thoroughly with water for at least 15 minutes. Remove contact lenses, if applicable and continue flushing. Call a physician if eye irritation persists.

Skin Contact: Wash skin with mild soap and water. Call a physician if skin irritation persists. Launder affected clothing before re-wearing.

Inhalation: Remove to fresh air. Call a physician if respiratory irritation persists.

The DuPont™ StoneTech® Professional product line complies with all federal, state and local VOC regulatory requirements and is packaged in containers with at least 25% post-consumer recycled material.

DuPont StoneTech® Professional
370 North Wiget Lane, Suite 200
Walnut Creek, CA 94598

1-877-STONETECH (786-6383)

www.stonetechpro.dupont.com



The miracles of science™

The information is furnished free of charge and based on information that DuPont believes to be generally reliable and accurate. Individual facts and circumstances may differ. It is intended for your use at your own risk. Because conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

Copyright © 2008 DuPont. The DuPont Oval Logo, DuPont™, The miracles of science™, BulletProof® and StoneTech® are registered trademarks or trademarks of E.I. du Pont de Nemours and Company or its affiliates. All rights reserved.

K-20611 (09/08)

PROTECT

CLEAN

TRANSFORM