



DuPont™ AudioComfort™ Acoustic Panels

Version .0

Revision Date 02/23/2010

Ref. 130000094600

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DuPont™ AudioComfort™ Acoustic Panels
 MSDS Number : 130000094600
 Manufacturer : DuPont
 1007 Market Street
 Wilmington, DE 19898

Product Information : 1-800-441-7515 (outside the U.S. 1-302-774-1000)
 Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)
 Transport Emergency : CHEMTREC: 1-800-424-9300 (outside the U.S. 1-703-527-3887)

Other information : OSHA Hazard Communication Standard (29 CFR 1910.1200) requirements for Material Safety Data Sheets do not apply to this product. This product is excluded as an article. Information on potential hazards associated with product fabrication and/or installation are discussed in this datasheet.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview
 This product has no known adverse effect on human health. There is no potential exposure unless the Tyvek® facing is damaged. Additives in this product do not present a respiration hazard unless the product is ground to a powder of respirable size and the dust is inhaled. All dusts are potentially injurious to the respiratory tract if respirable particles are generated and inhaled. Continual rubbing of fibre particulates and dust on the skin can cause a transitory, mild irritation with redness or itching.

Potential Health Effects

Carcinogenicity				
Material	IARC	NTP	OSHA	
Fiberglass	2B	X		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Fiberglass panel with Tyvek® facing

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

SECTION 5. FIRE-FIGHTING MEASURES

Fire and Explosion Hazard : Burning is accompanied by melting and dripping which may cause the fire to spread. In fire conditions, toxic decomposition products may be formed. Decomposition products may vary in nature depending upon actual conditions, eg. availability of oxygen, temperature and presence of other materials.



DuPont™ AudioComfort™ Acoustic Panels

Version .0

Revision Date 02/23/2010

Ref. 130000094600

Firefighting Instructions : Wear self-contained breathing apparatus and protective suit. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Spill Cleanup : Pick up and arrange disposal without creating dust. Clean up fines, dusts, and/or fibers with high efficiency particulate air (HEPA) filtered vacuum equipment.

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Do not puncture. Minimize the generation and accumulation of dust. Do not use or install panels if the facing has been torn, punctured or otherwise damaged.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protective equipment
 Respiratory protection : Respiratory protection should not be required for normal use and handling. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Exposure Guidelines
 Exposure Limit Values

Fiberglass				
TLV	(ACGIH)	5 mg/m3	TWA	Inhalable fraction.
AEL *	(DUPONT)	1 fibers/cm3	8 & 12 hr. TWA	Respirable fibers.
AEL *	(DUPONT)	5 mg/m3	8 & 12 hr. TWA	Non-fibrous particulate and/or non-respirable fibres.

Dust (total and inhalable dust)				
PEL (Permissible Exposure Limit)	(OSHA)	5 mg/m3	8 hr. TWA	Respirable fraction.

Remarks All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by the Particulates Not Otherwise Regulated (PNOR) limit which is the same as the inert or nuisance dust limit of Table Z-3.

PEL (Permissible Exposure Limit)	(OSHA)	15 mg/m3	8 hr. TWA	Total dust.
----------------------------------	--------	----------	-----------	-------------



DuPont™ AudioComfort™ Acoustic Panels

Version .0

Revision Date 02/23/2010

Ref. 130000094600

TLV	(ACGIH)	10 mg/m3	TWA	Inhalable particles.
TLV	(ACGIH)	3 mg/m3	TWA	Respirable particles.

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : Solid parts & shapes
Color : white
Odor : none

SECTION 10. STABILITY AND REACTIVITY

Hazardous decomposition products : Decomposition does not occur under normal use conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

DuPont™ AudioComfort™ Acoustic Panels
Further information : This product has no known adverse effect on human health.

SECTION 12. ECOLOGICAL INFORMATION

Additional ecological information : This product has no known eco-toxicological effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal : Where possible recycling is preferred to disposal or incineration.

SECTION 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA Status : Product is an article as defined at 40CFR720.3(c) and is not subject to TSCA Inventory requirements.



DuPont™ AudioComfort™ Acoustic Panels

Version .0

Revision Date 02/23/2010

Ref. 130000094600

SECTION 16. OTHER INFORMATION

MSDS preparation date : 02/23/2010

DuPont™, AudioComfort™ and Tyvek® are trademarks of E. I. du Pont de Nemours and Company

Contact person : MSDS Coordinator, 1007 Market St. Wilmington, DE 19898, Phone: 302-773-0904 (for MSDS information)/302-999-2778 (for technical information)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.