

DuPont™ Hyvar® X-L

herbicide

Get reliable control in a variety of situations

DuPont™ Hyvar® X-L herbicide provides residual control of many of your toughest annual, perennial and brush species. It's offered as a water-soluble liquid that is mixed in water and applied as a spray to control weeds in non-crop areas and industrial sites:

- **Non-crop areas:** Hyvar® X-L is made specifically for utility, industrial, fencerows, railroads, highway rights-of-way, petroleum tank farms, lumber yards and farm storage areas.
- **Bareground:** This product is especially suited for control of brush and hard-to-kill annual/perennial weeds and grasses.
- **Spot treatments:** It also can be applied undiluted or diluted with water to control various species of brush on industrial sites.

Please note that Hyvar® X-L should not be used in recreational areas or in or around homes.

Use recommendation

Hyvar® X-L can be applied as a pre-emergence or early postemergence spray when target species are actively germinating or growing.

Moisture is required for activation. Best results are obtained when the soil is moist at the time of application and rainfall occurs following application.

Signs of control will be slow to appear and may not become apparent until moisture carries the herbicide into the root zone of targeted weeds.

Under pond liners, asphalt and concrete

Hyvar® X-L can be applied under pond liners and under asphalt and concrete such as highway shoulders and median strips, except in California. It should, however, only be used in areas that have been prepared according to good construction practices. Use sufficient water to ensure uniform coverage, generally 100 gallons per acre.

When used in a pond liner application, Hyvar® X-L may be used at rates up to 10 to 12 gallons per acre. At these higher rates, workers may treat a maximum of 10 acres per day.

Targeted brush applications

Hyvar® X-L also can be applied undiluted in spot treatments using a backpack or handgun sprayer — please see “How to Calibrate Your Backpack or Handgun Sprayer.” Apply Hyvar® X-L at the rate of 5 to 10 milliliters for every 2 to 4 inches of basal stem diameter. Best results are usually obtained early spring and summer, but in some areas of the Northwest and Midwest applications can be made anytime the soil is not frozen.



Precautions

Tank mixtures of Hyvar® X-L and other herbicides may not be compatible. Read all product labeling before tank mixing.

After mixing, Hyvar® X-L is nonflammable, nonvolatile, and noncorrosive to metals, except aluminum. Use with aluminum spray nozzles or equipment is not recommended.

How to calibrate your backpack or handgun sprayer

1. Measure and mark an area that is 10 feet x 100 feet — this equals 1,000 square feet.
2. Spray the 10 foot x 100 foot area using water and time yourself.
3. Spray into a bucket the same amount of time it took you to spray the 10 foot x 100 foot area.
4. Convert quantity of water in the bucket into gallons (128 ounces = 1 gallon).
5. Multiply gallons of water that was sprayed into the bucket times 43.56 and this equals gallons per acre.

EXAMPLE: You have completed steps 1, 2 and 3 and 295 ounces of water was sprayed into the bucket, then divide 295 by 128 and this equals 2.3 gallons, then multiply 2.3 x 43.56 and this equals 100 gallons per acre.

Weeds controlled

DuPont™ Hyvar® X-L effectively controls the following weeds and grasses when applied at the labeled rates shown below:

Annuals					
¾ TO 3 GALLONS PER ACRE					
Bromegrass	Crabgrass	Lambsquarters	Puncturevine	Ryegrass	Wild oats
Cheatgrass	Foxtail	Orchardgrass	Ragweed	Turkey mullein	
Perennials					
3 TO 6 GALLONS PER ACRE					
Aster	Broomsedge	Dogfennel	Plantain	Quackgrass	Smooth brome
Bahiagrass	Dandelion	Goldenrod	Purpletop	Redtop	Wild carrot
Bluegrass					
Brush species					
2¾ TO 6 GALLONS PER ACRE					
Cottonwood	Hackberry	Maple	Pine	Redbud	Sweetgum
Elm (American, winged)		Oak	Poplar	Sumac	Willow
<i>For brush control, apply Hyvar® X-L from late winter through summer during the period of active growth or prior to this period.</i>					
Special uses — applications under pond liners, concrete and asphalt					
Annuals					
2¾ TO 4 GALLONS PER ACRE					
Cheat	Downy brome	Lambsquarters	Ragweed	Turkey mullein	
Crabgrass	Foxtail	Puncturevine	Ryegrass	Wild oats	
Perennials					
4 TO 6 GALLONS PER ACRE					
Bahiagrass	Dandelion	Goldenrod	Purpletop	Redtop	Wild carrot
Broomsedge	Dogfennel	Plantain	Quackgrass	Smooth brome	
10 TO 12 GALLONS PER ACRE*					
Bermudagrass	Bracken fern	Dogbane	Johnsongrass	Saltgrass	
Bouncingbet	Dallisgrass	Horsetail	Nutsedge	Vaseygrass	
<i>*This use rate is limited to application under pond liners.</i>					

For more information

Contact your local DuPont Vegetation Management Service Center or DuPont representative to learn more about DuPont™ Hyvar® X-L herbicide. And visit us on the Web at hyvarxl.dupont.com.

This reference guide is not intended as a substitute for the product label for the product(s) referenced herein. Product labels for the above product(s) contain important precautions, directions for use and product warranty and liability limitations that must be read before using the product. Applicators must be in possession of the product label(s) at the time of application. Always read and follow all label directions and precautions for use when using any pesticide alone or in tank mix combinations.

The DuPont Oval Logo, DuPont™, The miracles of science™ and Hyvar® are trademarks or registered trademarks of DuPont or its affiliates.

*Copyright © 2002-2007 E.I. du Pont de Nemours and Company. All Rights Reserved. 12/07
Reorder No.: K-14786*



The miracles of science®