



DuPont™ Escort® XP and Telar® XP Herbicide Recommendations for Control of Invasive Species

DuPont™ TELAR® XP herbicide is recommended for the control of annual, biennial and perennial weeds on private, public and military lands, on rights-of-way, industrial sites, non-crop areas, fence rows, ditch banks of dry drainage ditches, pasture, rangelands and Conservation Reserve Program (CRP) lands including grazed areas on these sites. Do not use on irrigation ditches.

Application information

Broadcast ground applications: Use 20-40 GPA when applying DuPont™ Escort® XP or Telar® XP. Select a spray volume and delivery system that will ensure thorough coverage and uniform spray pattern.

Spot applications: Mix one gram of Escort® XP or Telar™ XP per gallon of water along with a suitable adjuvant. Spray to the point of wetting the entire surface of the target weeds, approximately 35 gallons of solution per acre.

Invert spray applications also are recommended. These applications are low volume and are waterless.

Aerial applications: Use a minimum of three (3) gallons. Follow the label for drift management precautions.

Spray adjuvants: To improve postemergence weed control, a high quality spray adjuvant should be added at the manufacturer's recommended rate, such as methylated seed oil or a blend with an organosilicone component at the rate of ½ to 1% v/v mixture.

Telar® XP specific weed problem recommendations

Key weeds controlled	Telar® XP (Rate/A)	Timing	Control comments
Dyer's Woad	1 oz	Anytime the plant is green and actively growing.	
Halogeton	0.5-1 oz	Apply during early stages of plant growth.	
Houndstongue, common	1-3 oz	Apply at bud to bloom stage.	
Perennial pepperweed	1 oz	Anytime the plant is green and actively growing.	
Sicklepod	0.5-1 oz	Apply during early stages of plant growth.	
Sickleweed	1-3 oz	Apply during early stages of plant growth.	
Thistle complex: Bull, Canada, Scotch, musk	1-2 oz	Anytime the plant is green and actively growing.	For Canada thistle, fall rosette is the most sensitive stage.
Toadflax (dalmation and yellow)	2 oz	Best time to apply is fall rosette prior to freeze up. Spring bud to bloom treatments also are effective.	For Dalmation toadflax, use a high-volume foliar spray with a minimum of 24 gal water per acre.
Whitetop	1 oz	Prebloom to bloom and fall rosette.	

DuPont™ Escort® XP specific weed problem recommendations

Key weeds controlled	Escort® XP (Rate/A)	Timing	Control comments
Greasewood	2 oz	Anytime the plant is green and actively growing.	Full coverage is required.
Halogeton	1 oz	Anytime the plant is green and actively growing.	Full coverage is required.
Houndstongue	1.5 oz	Fall rosette or bud to bloom applications are best.	Full coverage is required.
Oxeye daisy	1 oz	Anytime the plant is green and actively growing.	
Purple loosestrife	2 oz	Anytime the plant is green and actively growing.	Apply to seasonally dry areas; do not spray moving or standing water.

This reference guide is not intended as a substitute for the product label for the product(s) referenced herein. Product labels for the above product(s) contain important precautions, directions for use and product warranty and liability limitations that must be read before using the product. Applicators must be in possession of the product label(s) at the time of application. Always read and follow all label directions and precautions for use.

The DuPont Oval Logo, DuPont™, The miracles of science™, Escort® and Telar® are trademarks or registered trademarks of DuPont or its affiliates.

*Copyright © 2008 E.I. du Pont de Nemours and Company. All Rights Reserved. 6/08
Reorder No.: K-14917 (Replaces K-14690)*



The miracles of science™