




**Tyvek®**


**ADDITIONAL ACCELERATED AGING DATA FROM DEVELOPMENTAL MATERIAL TESTING PROVIDES FURTHER EVIDENCE OF FUNCTIONAL EQUIVALENCE.**

# 1073B Developmental Material vs. Control Material



# 1073B Developmental Material vs. Control Material

Tensile Strength (MD)  
lb<sub>f</sub>/4 in.



- Developmental
- ◻ Developmental: 1 year accelerated aging
- ◆ Developmental: 3 year accelerated aging
- ★ Developmental: 5 year accelerated aging
- Control
- ◻ Control: 1 year accelerated aging
- ◆ Control: 3 year accelerated aging
- ★ Control: 5 year accelerated aging


ASTM D5034

Control = DuPont™ Tyvek® 1073B

Center point is zero

# 1073B Developmental Material vs. Control Material


Tensile Strength (CD)  
lb<sub>f</sub>/4 in.



- Developmental
- ◻ Developmental: 1 year accelerated aging
- ◆ Developmental: 3 year accelerated aging
- ★ Developmental: 5 year accelerated aging
- Control
- ◻ Control: 1 year accelerated aging
- ◆ Control: 3 year accelerated aging
- ★ Control: 5 year accelerated aging

ASTM D5034  
Control = DuPont™ Tyvek® 1073B  
Center point is zero


# 1059B Developmental Material vs. Control Material



ASTM F1342  
 Control = DuPont™ Tyvek® 1059B  
 Center point is zero

# 1059B Developmental Material vs. Control Material

Tensile Strength (MD)  
lb<sub>f</sub>/4 in.



- Developmental
- ◻ Developmental: 1 year accelerated aging
- ◆ Developmental: 3 year accelerated aging
- ★ Developmental: 5 year accelerated aging
- Control
- ◻ Control: 1 year accelerated aging
- ◆ Control: 3 year accelerated aging
- ★ Control: 5 year accelerated aging


ASTM D5034

Control = DuPont™ Tyvek® 1059B

Center point is zero

# 1059B Developmental Material vs. Control Material

Tensile Strength (CD)  
lb<sub>f</sub>/4 in.



- Developmental
- ◻ Developmental: 1 year accelerated aging
- ◆ Developmental: 3 year accelerated aging
- ★ Developmental: 5 year accelerated aging
- Control
- ◻ Control: 1 year accelerated aging
- ◆ Control: 3 year accelerated aging
- ★ Control: 5 year accelerated aging

ASTM D5034

Control = DuPont™ Tyvek® 1059B

Center point is zero

This information is based upon technical data that DuPont believes to be reliable. It is subject to revision as additional knowledge and experience are gained. DuPont makes no guarantee of results and assumes no obligation or liability in connection with this information. It is intended for use by persons having technical skill for evaluation under their specific end-use conditions at their own discretion and risk. Since conditions of use are outside our control, WE MAKE NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATIONS, NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE AND ASSUME NO LIABILITY IN CONNECTION WITH ANY USE OF THIS INFORMATION.

This information is not intended as a license to operate under or a recommendation to infringe any patent or technical information of DuPont or others covering any material or its use.

Copyright © 2013 DuPont. All rights reserved. The DuPont Oval Logo, DuPont™ and Tyvek® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company or its affiliates.



**Tyvek**®