

DuPont™ Vydate® C-LV

insecticide/nematicide

Tired of nematodes sucking the profits out of your cotton?



Help extend nematode control with DuPont™ Vydate® C-LV* following the use of Avicta Complete Pak or Temik.

Vydate® C-LV is the only systemic foliar application designed to help extend nematode control following the use of Avicta Complete Pak or Temik, giving you healthier plants and an opportunity for higher yields and a greater return on investment.

Tank-mix flexibility

Vydate® C-LV may be tank mixed with herbicides, including DuPont™ Staple® LX, glyphosate or Ignite, as well as other insecticides such as DuPont™ Intruder® WSP, plant growth regulators and foliar fertilizers.


Broad-spectrum insect control

Vydate® C-LV also provides control of important insect pests such as cotton fleahoppers, plant bugs and stink bugs. Supplement your nematode program while controlling key foliar pests. See label for recommended rates.

For more information

So, don't let nematodes suck the profits out of your cotton. Contact your local DuPont crop protection retailer or representative to learn more about DuPont™ Vydate® C-LV insecticide. And visit us on the Web at vydateclv.dupont.com.


Avicta or Temik followed by Vydate® C-LV for root-knot nematodes



Vydate® C-LV applied at 5-leaf stage.

Source: Kerry Siders, Texas Cooperative Extension.
2 trials — Morton and Whiteface, TX, 2006.

Temik followed by Vydate® C-LV for reniform nematodes



Vydate® C-LV applied at 7th leaf + 7 days.

Source: Dr. Terry Wheeler, Texas A&M University, 2005.


Recommended program

- Use Avicta Complete Pak treated seed or Temik (at planting) at 3.5 to 5 pounds per acre.
- **Option 1:** Make one foliar application of 17 fluid ounces of DuPont™ Vydate® C-LV at the 2- to 5-leaf stage.
- **Option 2:** Make a foliar application of 8.5 fluid ounces of Vydate® C-LV at the 2- to 5-leaf stage or later, followed by a second application of Vydate® C-LV 10 to 14 days later.

Note: Vydate® C-LV can be tank mixed with other herbicides, insecticides, plant growth regulators and foliar fertilizers.

How Vydate® C-LV works

Only Vydate® C-LV is both foliar translaminar and soil systemic for top-down, roots-up control.



* This Vydate® C-LV recommendation is made as permitted under FIFRA Section 2(ee) for use on cotton to suppress reniform, root-knot and lance nematodes following planting of nematocide-treated seed in the states of AL, AR, GA, LA, MS, MO, NC, NM, OK, SC, TN, TX and VA. This recommendation has not been submitted to or approved by the EPA. The 2(ee) expiration date is 12/31/2011 for all states except SC. In SC the 2(ee) expiration date is 12/31/2009.

Vydate® C-LV and Temik are restricted-use pesticides.

This reference guide is not intended as a substitute for the product label for the product(s) referenced herein. Product labels for the above product(s) contain important precautions, directions for use and product warranty and liability limitations that must be read before using the product. Applicators must be in possession of the product label(s) at the time of application. Always read and follow all label directions and precautions for use when using any pesticide alone or in tank mix combinations.

The DuPont Oval Logo, DuPont™, The miracles of science™, Staple® and Vydate® are trademarks or registered trademarks of DuPont or its affiliates.

Intruder® is a registered trademark of Nippon Soda Co., Ltd, and is licensed to DuPont.

Avicta is a registered trademark of Syngenta Participations Ag. Ignite and Temik are registered trademarks of Bayer CropScience.

*Copyright © 2006-2009 E.I. du Pont de Nemours and Company. All Rights Reserved. 3/09
Reorder No.: K-15038 (Replaces K-14640)*



The miracles of science™