

DuPont™ Coragen®

insect control

powered by
RYNAXYPYR®



Count on DuPont to help optimize yield and quality through reliable and consistent control

DuPont™ Coragen® insect control is a breakthrough mode of action insecticide that delivers remarkable protection. Optimize yield and quality by achieving reliable and consistent control of key insect pests in vegetables.

Key Benefits of Coragen®:

- Breakthrough mode of action
- Based on its excellent environmental profile, use of Coragen® on lettuce and tomatoes is classified by the EPA as Reduced Risk
- Exceptional control of all major worm pests and leafminer (larvae) plus suppression of silverleaf whitefly nymphs
- First and only insecticide to control worms through drip chemigation
- Long-lasting protection — 14 to 21 days and longer*
- Shortest re-entry — 4 hours
- Short pre harvest interval — 1 day for most crops (brassicas are 3 days)
- Excellent crop protection — insects stop feeding in minutes
- Application flexibility — drip or foliar spray (ground and air)
- Works through ingestion, contact, ovicidal and ovi-larvicidal activity
- Minimal impact on beneficials when applied at labeled rates — excellent fit with IPM programs
- Does not flare secondary pests or mites
- Rainfast once spray has dried

DuPont™ Coragen® insect control

Active ingredient name: *DuPont™ Rynaxypyr®*

Chemical class: IRAC Group 28, *anthranilic diamide*

Formulation: 1.67 SC

Packaging: 1-gallon container or 1-quart container

Crops	Pests (partial list)
Leafy vegetables (non-brassica) 	Beet armyworm (<i>Spodoptera exigua</i>)
	Cabbage looper (<i>Trichoplusia ni</i>)
	Corn earworm (<i>Helicoverpa zea</i>)
	Leafminers (larvae) (<i>Liriomyza</i> spp.)
	Silverleaf whitefly nymph suppression
Fruiting vegetables 	Beet armyworm (<i>Spodoptera exigua</i>)
	European corn borer (<i>Ostrina nubilalis</i>)
	Leafminers (larvae) (<i>Liriomyza</i> spp.)
	Loopers
	Tomato fruitworm (<i>Helicoverpa zea</i>)
	Tomato pinworm (<i>Keiferia lycopersicella</i>)
	Western yellowstriped armyworm (<i>Spodoptera praefica</i>)
	Silverleaf whitefly nymph suppression
Brassica vegetables 	Beet armyworm (<i>Spodoptera exigua</i>)
	Cabbage looper (<i>Trichoplusia ni</i>)
	Cross-striped cabbageworm (<i>Evergestis rimosalis</i>)
	Diamondback moth (<i>Plutella xylostella</i>)
	Imported cabbageworm (<i>Pieris rapae</i>)
Cucurbits 	Beet armyworm (<i>Spodoptera exigua</i>)
	Cabbage looper (<i>Trichoplusia ni</i>)
	Leafminers (larvae) (<i>Liriomyza</i> spp.)
	Melonworm (<i>Diaphania hyalinata</i>)
	Silverleaf whitefly nymph suppression

* Depending on application method, untreated plant material may not be fully protected as a result of plant growth.

Peppers — Insecticide Spray Program — Northeast

Timing	Treatment	Insects
Crop Establishment	DuPont™ Avaunt® — 3.5 oz/A foliar as needed <i>or</i>	Worms, including armyworms, corn earworm (tomato fruitworm), European corn borer† and loopers
	DuPont™ Asana® XL — 5.8-9.6 fl oz/A foliar spray <i>or</i>	Worms, including southern armyworm, corn earworm, beet armyworm (aids in control), European corn borer, loopers, plus Colorado potato beetle, and aids in control of pepper weevil
	DuPont™ Lannate® SP — 0.5-1.0 lb/A foliar spray	Worms, including armyworms, European corn borer*, loopers, plus green peach aphid
	DuPont™ Vydate® L — 1-2 qt/A foliar spray <i>or</i> Vydate® L — 1-2 qt/A via drip	Green peach aphid, vegetable leaf miner, pepper weevil**, thrips, nematodes***
Vegetative through early fruit set and sizing	DuPont™ Coragen® — 3.5-5.0 fl oz/A applied foliar or 5 fl oz/A via drip irrigation – 10- to-14 day interval between foliar applications, 14-day for drip applications – Apply as one or two successive applications; wait 30 days before additional Coragen® applications. – Only two drip applications allowed per crop season (max total amount of 10 fl oz/A per crop season).	Armyworms, tomato fruitworm, European corn borer, loopers, tomato pinworm, hornworms, garden webworm, plus Colorado potato beetle
Vegetative through fruit sizing	Avaunt® — 3.5 oz/A foliar as needed <i>or</i>	Worms, including armyworms, corn earworm (tomato fruitworm), European corn borer† and loopers
	Asana® XL — 5.8-9.6 fl oz/A foliar spray <i>or</i>	Worms, including southern armyworm, corn earworm, beet armyworm (aids in control), European corn borer, loopers, plus Colorado potato beetle, and aids in control of pepper weevil
	Lannate® SP — 0.5-1.0 lb/A foliar spray (use in 30-day period between Coragen® applications)	Worms, including armyworms, European corn borer*, loopers, plus green peach aphid
	Vydate® L — 1-2 qt/A foliar spray <i>or</i> Vydate® L — 1-2 qt/A via drip	Green peach aphid, vegetable leaf miner, pepper weevil**, thrips, nematodes***
Fruit sizing to harvest	See “Vegetative through early fruit set and sizing” for treatment specifics and insects controlled. Coragen® — 3.5-5.0 fl oz/A applied foliar or 5 fl oz/A via drip irrigation.	

† Avaunt®: European corn borer applications for use on bell peppers only.

* Use 1 lb/A of Lannate® SP for European corn borer control.

** Use foliar sprays only for pepper weevil control.

*** For supplemental treatment of specific nematode species following a preplant or at-plant nematicide application. See Vydate® L label for details.

NOTE: Coragen® is best used with block sprays of 2 applications in any given 30-day window followed by a 30-day period using non-GROUP 28 products, such as Avaunt®, Lannate® SP and Asana® XL.

Coragen® maximum use rate of 15.4 fl oz per acre per crop per season.

Coragen® can provide control of leafminer (larvae) and suppression of silverleaf whiteflies (nymphs) at 5.0-7.5 fl oz/A applied foliar or via drip. See label for additional information.

For optimum results using drip application follow the Drip Chemigation: Best Management Practices.

For more information

Put this powerful tool to work for you. Contact your local crop protection retailer or DuPont representative to learn how you can get more consistent control of key pests in vegetables with DuPont™ Coragen® insect control. And visit us on the Web at coragen.dupont.com.

See individual product labels for specific pests controlled or suppressed by these products.

DuPont™ Coragen® and Rynaxypyr® may not be registered for sale or use in all states. See your local DuPont retailer or representative for details and availability in your state.

Asana® XL, Lannate® SP and Vydate® L are restricted-use pesticides.

This Northeast U.S. reference guide is not intended as a substitute for the product label for the product(s) referenced herein. Product labels for the above product(s) contain important precautions, directions for use and product warranty and liability limitations that must be read before using the product. Applicators must be in possession of the product label(s) at the time of application. Always read and follow all label directions and precautions for use when using any pesticide alone or in tank-mix combinations.

The DuPont Oval Logo, DuPont™, The miracles of science™, Asana®, Avaunt®, Coragen®, Lannate®,

Rynaxypyr® and Vydate® are trademarks or registered trademarks of DuPont or its affiliates.

Copyright © 2008-2009 E.I. du Pont de Nemours and Company. All Rights Reserved. 10/09

Reorder No.: K-15207 (Replaces K-14934)



The miracles of science™